

# POWERNAIL®

## PRODUCT CATALOG



SINCE 1947





1947



*Powernail's first location,  
Chicago IL*

1950



*Powernail invents the  
L-style flooring cleat*

1956



*Powernail's cleats are accepted  
by FHA as the select method  
of hardwood floor installation*

1958



*Powernail moves into  
a larger facility to accommodate  
a booming business*

1972



*The Model 145 Powernailer  
gets a facelift*

1997



*Powernail introduces their first  
16-gauge pneumatic cleat nailer*

2005



*Powernail moves into their  
current facility in Lake Zurich, IL*

2014



**HD HEAD**  
CLEAT TECHNOLOGY

*Powernail innovates a next-gen floor fastener*

2017



*Powernail offers a full lineup  
of trigger-pull nailers for  
engineered flooring*

2018



*Powernail completes full line  
of carpet tools & fasteners*

# TABLE OF CONTENTS

## HARDWOOD & ENGINEERED FLOORING NAILERS



445 Series	5-6
45 Series	7
101 Series, Power Palm, 445 Conversion Kits	8
50P Series	9-10
50F, 50P Conversion Kits	11
2000F, 2000TN	12

## HARDWOOD & ENGINEERED FLOORING STAPLERS



445FS Series	13
1845F	14

## CARRYING CASES



Toolbox (Plastic for Pneumatic Models 445LS, 445LL, 200, 50P)	15
---	----

## MALLETS & TAPPING BLOCKS



Tapblocks (Large & Extra Large)	15
Mallets (white & black caps)	16

## BOARD POSITIONERS



Powerjack 500, Powerjack 100	17
------------------------------	----

## CARPET STAPLERS & HAMMER TACKERS



54E, 54P, HT-BL11, HT-550, HT-750	18
-----------------------------------	----

## UNDERLAYMENT & TRIM TOOLS



1890U, BR50	19
-------------	----

## HARDWOOD FLOORING FASTENERS



16-Gauge L-Cleats, 18-Gauge L-Cleats, 20-Gauge L-Cleats, 20-Gauge E-Cleats	21
15.5-Gauge Staples, 18-Gauge 1/4" Crown Staples	22

## CARPET & FINE WIRE STAPLES



20-Gauge 13/32" Crown Staples, 20-Gauge 1/2" Crown Staples, 19-Gauge 15/32" Crown Staples, 20-Gauge 3/16" Crown Staples	23
---	----



# STOOL



Powernail Company has leveraged over 70 years of experience in the flooring industry to bring you the very best tools for installing today's most popular styles of flooring. Whether you are the seasoned pro running your own business or a flooring first-timer; Powernail has the solution for you.

## 445 LSW

16-GAUGE PNEUMATIC MALLET ACTUATED FLOORING CLEAT NAILER

ITEM # 445LSW

### Features:

- Standard Foot for  $\frac{3}{8}$ " and  $\frac{3}{4}$ " tongue and groove flooring; adjusts by use of UHMW foot shims
- Standard length nail channel – 100 nail capacity
- New no-hassle, standard length handle – 10.5"
- Aircraft-Grade aluminum construction and U-Cup inner seals for rugged dependability
- Includes 3MI White Rubber mallet



16  
GA

## 445 XLSW

16-GAUGE PNEUMATIC MALLET ACTUATED FLOORING CLEAT NAILER

ITEM # 445XLSW

### Features:

- Standard Foot for  $\frac{3}{8}$ " and  $\frac{3}{4}$ " tongue and groove flooring; adjusts by use of UHMW foot shims
- Standard length nail channel – 100 nail capacity
- New no-hassle, extra-long Handle – 14"
- Aircraft-Grade aluminum construction and U-Cup inner seals for rugged dependability
- Includes 3MI White Rubber mallet



16  
GA

## 445 LLW

16-GAUGE PNEUMATIC MALLET ACTUATED FLOORING CLEAT NAILER

ITEM # 445LLW

### Features:

- Standard Foot for  $\frac{3}{8}$ " and  $\frac{3}{4}$ " tongue and groove flooring; adjusts by use of UHMW foot shims
- Long nail channel – 200 nail capacity
- New no-hassle, standard Length Handle – 10.5"
- Aircraft-Grade aluminum construction and U-Cup inner seals for rugged dependability
- Includes 3MI White Rubber mallet



16  
GA

## 445 XLLW

16-GAUGE PNEUMATIC MALLET ACTUATED FLOORING CLEAT NAILER

ITEM # 445XLLW

### Features:

- Standard Foot for  $\frac{3}{8}$ " and  $\frac{3}{4}$ " tongue and groove flooring; adjusts by use of UHMW foot shims
- Long nail channel – 200 nail capacity
- New no-hassle, extra-long handle – 14"
- Aircraft-Grade aluminum construction and U-Cup inner seals for rugged dependability
- Includes 3MI White Rubber mallet



16  
GA

## PRODUCT REFERENCE CHART

TOOL SPECS	445 LSW	445 XLSW	445 LLW	445 XLLW
Power Type	Pneumatic	Pneumatic	Pneumatic	Pneumatic
Operating Pressure	80-110 psi	80-110 psi	80-110 psi	80-110 psi
Air Fitting	$\frac{1}{4}$ " NPT	$\frac{1}{4}$ " NPT	$\frac{1}{4}$ " NPT	$\frac{1}{4}$ " NPT
Weight	10.4 lbs	11.2 lbs	10.7 lbs	11.5 lbs
Height	19"	22.5"	19"	22.5"
Length	18"	18"	22"	22"
Width	3"	3"	3"	3"
Main Body Material	Aluminum	Aluminum	Aluminum	Aluminum
Warranty	10 years on body, 1 year parts	10 years on body, 1 year parts	10 years on body, 1 year parts	10 years on body, 1 year parts
FASTENER SPECS				
Gauge	16	16	16	16
Style	L-Head Cleat	L-Head Cleat	L-Head Cleat	L-Head Cleat
Length	1 $\frac{1}{2}$ "-2"	1 $\frac{1}{2}$ "-2"	1 $\frac{1}{2}$ "-2"	1 $\frac{1}{2}$ "-2"
Capacity	100	100	200	200
Collation	Straight Taped Strip	Straight Taped Strip	Straight Taped Strip	Straight Taped Strip
FLOORING MATERIAL				
Hardwood	Yes	Yes	Yes	Yes
Engineered	No	No	No	No
Board Thickness	$\frac{3}{8}$ ", $\frac{3}{4}$ "	$\frac{3}{8}$ ", $\frac{3}{4}$ "	$\frac{3}{8}$ ", $\frac{3}{4}$ "	$\frac{3}{8}$ ", $\frac{3}{4}$ "

Contact us at (800) 323-1653 Visit us at [www.powernail.com](http://www.powernail.com)



## 445 FLEX POWER ROLLER LSW

16-GAUGE PNEUMATIC MALLET ACTUATED FLOORING CLEAT NAILER

16 GA

ITEM # 445PRLSW

### Features:

- PowerRoller Adjustable Foot to roll during use and installs T&G wood floors from  $\frac{3}{8}$ " and  $\frac{3}{4}$ " without changing shims or pads
- Standard length nail channel – 100 nail capacity
- New no-hassle, standard length handle – 10.5"
- Aircraft-Grade aluminum construction and U-Cup inner seals for rugged dependability
- Includes 3MI White Rubber mallet



## 445 FLEX POWER ROLLER XLSW

16-GAUGE PNEUMATIC MALLET ACTUATED FLOORING CLEAT NAILER

16 GA

ITEM # 445PRXLSW

### Features:

- PowerRoller Adjustable Foot to roll during use and installs T&G wood floors from  $\frac{3}{8}$ " and  $\frac{3}{4}$ " without changing shims or pads
- Standard length nail channel – 100 nail capacity
- New no-hassle, extra-long handle – 14"
- Aircraft-Grade aluminum construction and U-Cup inner seals for rugged dependability
- Includes 3MI White Rubber mallet



## 445 FLEX POWER ROLLER LLW

16-GAUGE PNEUMATIC MALLET ACTUATED FLOORING CLEAT NAILER

16 GA

ITEM # 445LLW

### Features:

- PowerRoller Adjustable Foot to roll during use and installs T&G wood floors from  $\frac{3}{8}$ " and  $\frac{3}{4}$ " without changing shims or pads
- Long nail channel – 200 nail capacity
- New no-hassle, standard Length handle – 10.5"
- Aircraft-Grade aluminum construction and U-Cup inner seals for rugged dependability
- Includes 3MI White Rubber mallet



## 445 FLEX POWER ROLLER XLLW

16-GAUGE PNEUMATIC MALLET ACTUATED FLOORING CLEAT NAILER

16 GA

ITEM # 445XLLW

### Features:

- PowerRoller Adjustable Foot to roll during use and installs T&G wood floors from  $\frac{3}{8}$ " and  $\frac{3}{4}$ " without changing shims or pads
- Long nail channel – 200 nail capacity
- New no-hassle, extra-long handle – 14"
- Aircraft-Grade aluminum construction and U-Cup inner seals for rugged dependability
- Includes 3MI White Rubber mallet



## PRODUCT REFERENCE CHART

TOOL SPECS	445 FLEX PR LSW	445 FLEX PR XLSW	445 FLEX PR LLW	445 FLEX PR XLLW
Power Type	Pneumatic	Pneumatic	Pneumatic	Pneumatic
Operating Pressure	80-110 psi	80-110 psi	80-110 psi	80-110 psi
Air Fitting	$\frac{1}{4}$ " NPT	$\frac{1}{4}$ " NPT	$\frac{1}{4}$ " NPT	$\frac{1}{4}$ " NPT
Weight	12.8 lbs	13.6 lbs	13.1 lbs	13.9 lbs
Height	19"	22.5"	19"	22.5"
Length	18"	18"	22"	22"
Width	6.25"	6.25"	6.25"	6.25"
Main Body Material	Aluminum	Aluminum	Aluminum	Aluminum
Warranty	10 years on body, 1 year parts	10 years on body, 1 year parts	10 years on body, 1 year parts	10 years on body, 1 year parts
FASTENER SPECS				
Gauge	16	16	16	16
Style	L-Head Cleat	L-Head Cleat	L-Head Cleat	L-Head Cleat
Length	1 $\frac{1}{2}$ "-2"	1 $\frac{1}{2}$ "-2"	1 $\frac{1}{2}$ "-2"	1 $\frac{1}{2}$ "-2"
Capacity	100	100	200	200
Collation	Straight Taped Strip	Straight Taped Strip	Straight Taped Strip	Straight Taped Strip
FLOORING MATERIAL				
Hardwood	Yes	Yes	Yes	Yes
Engineered	No	No	No	No
Board Thickness	$\frac{3}{8}$ " - $\frac{3}{4}$ "	$\frac{3}{8}$ " - $\frac{3}{4}$ "	$\frac{3}{8}$ " - $\frac{3}{4}$ "	$\frac{3}{8}$ " - $\frac{3}{4}$ "

Contact us at (800) 323-1653 Visit us at [www.powernail.com](http://www.powernail.com)

## 445SN W

16-GAUGE PNEUMATIC MALLET ACTUATED  
FLOORING CLEAT NAILER

ITEM # 445SNW



### Features:

- Innovative "Top-Nail" design to nail flooring up to 1" from the wall
- Safety trigger to prevent accidental discharge
- Aircraft-Grade aluminum construction and U-Cup inner seals for rugged dependability
- Includes 3MI White Rubber mallet



16  
GA



16-Gauge L-Cleats are available  
in lengths ranging from 1-1/2" to 2"



## 45 W

16-GAUGE MANUAL MALLET ACTUATED  
FLOORING CLEAT NAILER

ITEM # 45W



### Features:

- Fully manual, Single-blow operation – No Air compressor required
- Heavy-Duty, but lightweight polymer molding
- Fewer moving parts for dependability
- Built-in nail magazine – 100 nail capacity
- Includes a 5MI White Rubber mallet



16  
GA

## 45R W

16-GAUGE MANUAL MALLET ACTUATED  
FLOORING CLEAT NAILER

ITEM # 45RW



### Features:

- Fully manual, multi-blow, ratcheting operation – No Air compressor required
- Heavy-Duty, but lightweight polymer molding
- Fewer moving parts for dependability
- Built-in nail magazine – 100 nail capacity
- Includes a 5MI White Rubber mallet



16  
GA

## PRODUCT REFERENCE CHART

TOOL SPECS	445SN W	45 W	45R W
Power Type	Pneumatic	Manual	Manual
Operating Pressure	80-110 psi	N/A	N/A
Air Fitting	1/4" NPT	N/A	N/A
Weight	9.6 lbs	10 lbs	10 lbs
Height	15.5"	18"	18"
Length	11"	14"	14"
Width	3.5"	3.5"	3.5"
Main Body Material	Aluminum	Thermo-Set Polymer	Thermo-Set Polymer
Warranty	10 years on body, 1 year parts	10 years on body, 1 year parts	10 years on body, 1 year parts
FASTENER SPECS			
Gauge	16	16	16
Style	L-Head Cleat	L-Head Cleat	L-Head Cleat
Length	1 1/2"-2"	1 1/2"-2"	1 1/2"-2"
Capacity	100	100	100
Collation	Straight Taped Strip	Straight Taped Strip	Straight Taped Strip
FLOORING MATERIAL			
Hardwood	Yes	Yes	Yes
Engineered	No	No	No
Board Thickness	3/8", 3/4"	3/8", 3/4"	3/8", 3/4"

Contact us at (800) 323-1653 Visit us at [www.powernail.com](http://www.powernail.com)



**101 W**16-GAUGE MANUAL MALLET ACTUATED  
FLOORING CLEAT NAILER**16  
GA**

ITEM # 101W

**Features:**

- Innovative "Top-Nail" design to nail flooring up to 1" from the wall
- Fully manual, single-blow operation – No Air compressor required
- Heavy-Duty, but lightweight polymer body
- Built-in nail magazine – 100 nail capacity
- Includes a 5MI White Rubber mallet

**101R W**16-GAUGE MANUAL MALLET ACTUATED  
FLOORING CLEAT NAILER**16  
GA**

ITEM # 101RW

**Features:**

- Innovative "Top-Nail" design to nail flooring up to 1" from the wall
- Fully manual, multi-blow, ratcheting operation – No Air compressor required
- Heavy-Duty, but lightweight polymer body
- Built-in nail magazine – 100 nail capacity
- Includes a 5MI White Rubber mallet

**POWER PALM™**18/16-GAUGE PNEUMATIC PRESSURE ACTIVATED  
FLOORING CLEAT NAILER**18/16  
GA**

ITEM # PALM001

**Features:**

- Compact, pressure-activated design for blind nailing both 18 and 16 gauge "L" and "T" shaped cleat nails close to the wall
- Patented 360° swiveling nose/tip – fits in very tight and hard to reach places such as toe kicks and corners
- Magnetic cleat holder
- ¼" (½" NPT) air fitting

**FLEX POWER ROLLER  
CONVERSION KIT**

FOR 445 SERIES NAILERS &amp; 445FS SERIES STAPLERS

ITEM # 06-99604

**Features:**

- Transforms your standard Model 445 PowerNailer/PowerStapler into a rolling machine
- Adjustable base that will install T&G flooring from ⅜" to ¾" in thickness.
- Components milled from aircraft-grade aluminum

**PRODUCT REFERENCE CHART**

TOOL SPECS	101 W	101R W	POWER PALM™
Power Type	Manual	Manual	Pneumatic
Operating Pressure	N/A	N/A	70-110 psi
Air Fitting	N/A	N/A	¼" NPT
Weight	6.6 lbs	6.6 lbs	1.6 lbs
Height	10.8"	10.8"	4"
Length	10.8"	10.8"	5"
Width	3.5"	3"	2.5"
Main Body Material	Thermo-Set Polymer	Thermo-Set Polymer	Aluminum
Warranty	10 years on body, 1 year parts	10 years on body, 1 year parts	1 year
FASTENER SPECS			
Gauge	16	16	18 - 16
Style	L-Head Cleat	L-Head Cleat	L, T-Head Cleat
Length	1½"-2"	1½"-2"	1"-2"
Capacity	100	100	N/A
Collation	Straight Taped Strip	Straight Taped Strip	No collation / individual
FLOORING MATERIAL			
Hardwood	Yes	Yes	Yes
Engineered	No	No	Yes
Board Thickness	⅝", ¾"	⅝", ¾"	⅞" - ¾"

Contact us at (800) 323-1653 Visit us at [www.powernail.com](http://www.powernail.com)



## 50P FLEX LSW

18-GAUGE PNEUMATIC MALLET ACTUATED  
FLOORING CLEAT NAILER

18  
GA

ITEM # 50PFLEXW

### Features:

- Adjustable FLEX Foot installs T&G wood floors from  $\frac{3}{8}$ " to  $\frac{3}{4}$ " without changing shims or pads
- Standard length nail channel – 100 nail capacity
- New no-hassle, standard length handle – 10.5"
- Aircraft-Grade aluminum construction and U-Cup inner seals for rugged dependability
- Includes 3MI White Rubber mallet



## 50P FLEX XLSW

18-GAUGE PNEUMATIC MALLET ACTUATED  
FLOORING CLEAT NAILER

18  
GA

ITEM # 50PFLEXXLSW

### Features:

- Adjustable FLEX Foot installs T&G wood floors from  $\frac{3}{8}$ " to  $\frac{3}{4}$ " without changing shims or pads
- Standard length nail channel – 100 nail capacity
- New no-hassle, extra-long handle – 14"
- Aircraft-Grade aluminum construction and U-Cup inner seals for rugged dependability
- Includes 3MI White Rubber mallet



## 50P FLEX LLW

18-GAUGE PNEUMATIC MALLET ACTUATED  
FLOORING CLEAT NAILER

18  
GA

ITEM # 50PFLEXLLW

### Features:

- Adjustable FLEX Foot installs T&G wood floors from  $\frac{3}{8}$ " to  $\frac{3}{4}$ " without changing shims or pads
- Long nail channel – 200 nail capacity
- New no-hassle, standard length handle – 10.5"
- Aircraft-Grade aluminum construction and U-Cup inner seals for rugged dependability
- Includes 3MI White Rubber mallet



## 50P FLEX XLLW

18-GAUGE PNEUMATIC MALLET ACTUATED  
FLOORING CLEAT NAILER

18  
GA

ITEM # 50PFLEXXLLW

### Features:

- Adjustable FLEX Foot installs T&G wood floors from  $\frac{3}{8}$ " to  $\frac{3}{4}$ " without changing shims or pads
- Long nail channel – 200 nail capacity
- New no-hassle, extra-long handle – 14"
- Aircraft-Grade aluminum construction and U-Cup inner seals for rugged dependability
- Includes 3MI White Rubber mallet



## PRODUCT REFERENCE CHART

TOOL SPECS	50P FLEX LSW	50P FLEX XLSW	50P FLEX LLW	50P FLEX XLLW
Power Type	Pneumatic	Pneumatic	Pneumatic	Pneumatic
Operating Pressure	80-110 psi	80-110 psi	80-110 psi	80-110 psi
Air Inlet	$\frac{1}{4}$ " ( $\frac{3}{8}$ " NPT)	$\frac{1}{4}$ " ( $\frac{3}{8}$ " NPT)	$\frac{1}{4}$ " ( $\frac{3}{8}$ " NPT)	$\frac{1}{4}$ " ( $\frac{3}{8}$ " NPT)
Weight	11 lbs	11.6 lbs	11.6	11.6
Height	17"	21.5"	17"	21.5"
Length	16"	16"	20"	20"
Width	5.5"	5.5"	5.5"	5.5"
Main Body Material	Aluminum	Aluminum	Aluminum	Aluminum
Warranty	10 years on body, 1 year parts	10 years on body, 1 year parts	10 years on body, 1 year parts	10 years on body, 1 year parts
FASTENER SPECS				
Gauge	18	18	18	18
Style	L-Head	L-Head	L-Head	L-Head
Length	1"-1 $\frac{3}{4}$ "	1"-1 $\frac{3}{4}$ "	1"-1 $\frac{3}{4}$ "	1"-1 $\frac{3}{4}$ "
Capacity	100	100	200	200
Collation	Straight Taped Strip	Straight Taped Strip	Straight Taped Strip	Straight Taped Strip
FLOORING MATERIAL				
Hardwood	Yes	Yes	Yes	Yes
Engineered	Yes	Yes	Yes	Yes
Board Thickness	$\frac{3}{8}$ " - $\frac{3}{4}$ "	$\frac{3}{8}$ " - $\frac{3}{4}$ "	$\frac{3}{8}$ " - $\frac{3}{4}$ "	$\frac{3}{8}$ " - $\frac{3}{4}$ "

Contact us at (800) 323-1653 Visit us at [www.powernail.com](http://www.powernail.com)

**50P FLEX POWER ROLLER LSW 18 GA**

18-GAUGE PNEUMATIC MALLET ACTUATED FLOORING CLEAT NAILER

ITEM # 50PFLEXPRW

**Features:**

- PowerRoller Adjustable Foot to roll during use and installs T&G wood floors from  $\frac{3}{8}$ " to  $\frac{3}{4}$ " without changing shims or pads
- Standard length nail channel – 100 nail capacity
- New no-hassle, standard length handle – 10.5"
- Aircraft-Grade aluminum construction and U-Cup inner seals for rugged dependability
- Includes 3MI White Rubber mallet

**50P FLEX POWER ROLLER XLSW 18 GA**

18-GAUGE PNEUMATIC MALLET ACTUATED FLOORING CLEAT NAILER

ITEM # 50PFLEXPRXLSW

**Features:**

- PowerRoller Adjustable Foot to roll during use and installs T&G wood floors from  $\frac{3}{8}$ " to  $\frac{3}{4}$ " without changing shims or pads
- Standard length nail channel – 100 nail capacity
- New no-hassle, extra-long Handle – 14"
- Aircraft-Grade aluminum construction and U-Cup inner seals for rugged dependability
- Includes 3MI White Rubber mallet

**50P FLEX POWER ROLLER LLW 18 GA**

18-GAUGE PNEUMATIC MALLET ACTUATED FLOORING CLEAT NAILER

ITEM # 50PFLEXPRLLW

**Features:**

- PowerRoller Adjustable Foot to roll during use and installs T&G wood floors from  $\frac{3}{8}$ " to  $\frac{3}{4}$ " without changing shims or pads
- Extra-long nail channel – 200 nail capacity
- New no-hassle, standard Length Handle – 10.5"
- Aircraft-Grade aluminum construction and U-Cup inner seals for rugged dependability
- Includes 3MI White Rubber mallet

**50P FLEX POWER ROLLER XLLW 18 GA**

18-GAUGE PNEUMATIC MALLET ACTUATED FLOORING CLEAT NAILER

ITEM # 50PFLEXPRXLLW

**Features:**

- PowerRoller Adjustable Foot to roll during use and installs T&G wood floors from  $\frac{3}{8}$ " to  $\frac{3}{4}$ " without changing shims or pads
- Extra-long nail channel – 200 nail capacity
- New no-hassle, extra-long handle – 14"
- Aircraft-Grade aluminum construction and U-Cup inner seals for rugged dependability
- Includes 3MI White Rubber mallet

**PRODUCT REFERENCE CHART**

TOOL SPECS	50P FLEX PR LSW	50P FLEX PR XLSW	50P FLEX PR LLW	50P FLEX PR XLLW
Power Type	Pneumatic	Pneumatic	Pneumatic	Pneumatic
Operating Pressure	80-110 psi	80-110 psi	80-110 psi	80-110 psi
Air Fitting	$\frac{1}{4}$ " NPT	$\frac{1}{4}$ " NPT	$\frac{1}{4}$ " NPT	$\frac{1}{4}$ " NPT
Weight	11.9 lbs	12.6 lbs	12.3 lbs	12.9 lbs
Height	18"	21.5"	18"	21.5"
Length	16"	16"	20"	20"
Width	6.25"	6.25"	6.25"	6.25"
Main Body Material	Aluminum	Aluminum	Aluminum	Aluminum
Warranty	10 years on body, 1 year parts	10 years on body, 1 year parts	10 years on body, 1 year parts	10 years on body, 1 year parts
FASTENER SPECS				
Gauge	18	18	18	18
Style	L-Head Cleat	L-Head Cleat	L-Head Cleat	L-Head Cleat
Length	1"-1 $\frac{3}{4}$ "	1"-1 $\frac{3}{4}$ "	1"-1 $\frac{3}{4}$ "	1"-1 $\frac{3}{4}$ "
Capacity	100	100	200	200
Collation	Straight Taped Strip	Straight Taped Strip	Straight Taped Strip	Straight Taped Strip
FLOORING MATERIAL				
Hardwood	Yes	Yes	Yes	Yes
Engineered	Yes	Yes	Yes	Yes
Board Thickness	$\frac{3}{8}$ " - $\frac{3}{4}$ "	$\frac{3}{8}$ " - $\frac{3}{4}$ "	$\frac{3}{8}$ " - $\frac{3}{4}$ "	$\frac{3}{8}$ " - $\frac{3}{4}$ "



## 50F

### 18-GAUGE PNEUMATIC TRIGGER PULL FLOORING CLEAT NAILER

18  
GA

ITEM # 50FKIT

#### Features:

- Trigger-Pull Operation – No Mallet required
- Adjustable, 1-piece FLEX foot for installing engineered floors from  $\frac{3}{8}$ " to  $\frac{3}{4}$ "
- Will install both Tongue & Groove and Uniclic profiles
- 100 nail channel capacity
- Directional exhaust
- Includes tapping block and carrying case



18-Gauge L-Cleats are available in lengths ranging from 1-1/4" to 1-3/4"



## FLEX CONVERSION KIT

FOR 50P & 50M SERIES NAILERS

ITEM # 06-99600

#### Features:

- Replaces the standard foot on models 50P & 50M Powernailers with one that is adjustable
- Adjustable base will install T&G flooring from  $\frac{3}{8}$ " to  $\frac{3}{4}$ " in thickness – No shims necessary
- Components milled from aircraft-grade aluminum
- Perfect for Pre-finished and delicate floor finishes



## FLEX POWER ROLLER CONVERSION KIT

FOR 50P SERIES NAILERS

ITEM # 06-99605

#### Features:

- Replaces the standard foot on model 50P Powernailers with one that rolls
- Adjustable, rolling base will install T&G flooring from  $\frac{3}{8}$ " to  $\frac{3}{4}$ " in thickness – No shims necessary
- Components milled from aircraft-grade aluminum
- Perfect for Pre-finished and delicate floor finishes



## PRODUCT REFERENCE CHART

TOOL SPECS		50F
Power Type		Pneumatic
Operating Pressure		70-120 psi
Air Fitting		$\frac{1}{4}$ " ( $\frac{3}{8}$ " NPT)
Weight		5.75 lbs
Height		12.5"
Length		12"
Width		4.25"
Main Body Material		Aluminum
Warranty		5 years limited, 1 year parts
FASTENER SPECS		
Gauge		18
Style		L-Head Cleat
Length		1"-1 $\frac{3}{4}$ "
Capacity		100
Collation		Straight Taped Strip
FLOORING MATERIAL		
Hardwood		Yes
Engineered		Yes
Board Thickness		$\frac{3}{8}$ " - $\frac{3}{4}$ "

Contact us at (800) 323-1653 Visit us at [www.powernail.com](http://www.powernail.com)

**2000F**20-GAUGE PNEUMATIC TRIGGER PULL  
FLOORING CLEAT NAILER**20  
GA**

ITEM # 2000FKIT

**Features:**

- Compact design for installation close to walls and in tight spaces
- Adjustable FLEX Foot for quick and easy adjustment (no tools required)
- Unique nose fits today's wide variety of profiles
- Quick and easy jam clearing

**2000TN**20-GAUGE PNEUMATIC TRIGGER PULL  
FLOORING CLEAT NAILER**20  
GA**

ITEM # 2000TN

**Features:**

- Countersinks  $\frac{1}{8}$ " into the floor's surface
- Designed to top-nail  $\frac{5}{16}$ " to  $\frac{1}{2}$ " thick wood flooring
- Perfect for Square Edge Flooring (tongue-less)
- Trigger-Operated with a directional exhaust

**The next generation of Powercleats...**

Pownail's 18-gauge and 20-gauge L-shaped PowerCleats feature our patented HD-Head Technology, allowing you to nail the hardest and most dense species of wood flooring. PowerCleats with the HD Head design are proven to reduce surface dimpling, eliminate split tongues and the hassle of "Squeaky" floors.

**PRODUCT REFERENCE CHART**

TOOL SPECS	2000F	2000TN
Power Type	Pneumatic	Pneumatic
Operating Pressure	70-120 psi	70-110 psi
Air Fitting	$\frac{1}{4}$ " ( $\frac{3}{8}$ " NPT)	$\frac{1}{4}$ " ( $\frac{3}{8}$ " NPT)
Weight	3.5 lbs	2.7 lbs
Height	8"	8.5"
Length	9.5"	10.2"
Width	3.5"	3"
Main Body Material	Aluminum	Aluminum
Warranty	5 year limited, 1 year parts	1 year
FASTENER SPECS		
Gauge	20	20
Style	L-Head Cleat	L-Head Cleat
Length	1"-1 $\frac{1}{4}$ "	1"-1 $\frac{1}{4}$ "
Capacity	100	100
Collation	Straight Taped Strip	Straight Taped Strip
FLOORING MATERIAL		
Hardwood	Yes	Yes
Engineered	Yes	Yes
Board Thickness	$\frac{5}{16}$ " - $\frac{1}{2}$ "	$\frac{5}{16}$ " - $\frac{1}{2}$ "

Contact us at (800) 323-1653 Visit us at [www.pownail.com](http://www.pownail.com)



## 445FS LSW

15.5-GAUGE PNEUMATIC MALLET ACTUATED FLOORING STAPLER

15.5  
GA

ITEM # 445FSW

### Features:

- Standard Foot for  $\frac{3}{8}$ " and  $\frac{3}{4}$ " tongue and groove flooring; adjusts by use of UHMW foot shims.
- Standard length staple channel with a 100-staple capacity
- New no-hassle, standard length handle – 10.5"
- Aircraft-Grade aluminum construction and U-Cup inner seals for rugged dependability
- Includes 3MI White Rubber mallet



## 445FS XLSW

15.5-GAUGE PNEUMATIC MALLET ACTUATED FLOORING STAPLER

15.5  
GA

ITEM # 445FSXLSW

### Features:

- Standard Foot for  $\frac{3}{8}$ " and  $\frac{3}{4}$ " tongue and groove flooring; adjusts by use of UHMW foot shims.
- Standard length staple channel with a 100-staple capacity
- New no-hassle, extra-long Handle – 14"
- Aircraft-Grade aluminum construction and U-Cup inner seals for rugged dependability
- Includes 3MI White Rubber mallet



## 445FS POWER ROLLER LSW

15.5-GAUGE PNEUMATIC MALLET ACTUATED FLOORING STAPLER

15.5  
GA

ITEM # 445FSPRLSW

### Features:

- Adjustable PowerRoller Foot to roll across the floor during use and installs T&G wood floors from  $\frac{3}{8}$ " to  $\frac{3}{4}$ " without changing shims or pads
- Standard length staple channel with a 100-staple capacity
- New no-hassle, standard length handle – 10.5"
- Aircraft-Grade aluminum construction and U-Cup inner seals for rugged dependability
- Includes 3MI White Rubber mallet



## 445FS POWER ROLLER XLSW

15.5-GAUGE PNEUMATIC MALLET ACTUATED FLOORING STAPLER

15.5  
GA

ITEM # 445FSPRXLSW

### Features:

- PowerRoller Adjustable Foot to roll during use and installs T&G wood floors from  $\frac{3}{8}$ " to  $\frac{3}{4}$ " without changing shims or pads
- Standard length staple channel – 100 staple capacity
- New no-hassle, extra-long Handle – 14"
- Aircraft-Grade aluminum construction and U-Cup inner seals for rugged dependability
- Includes 3MI White Rubber mallet



## PRODUCT REFERENCE CHART

TOOL SPECS	445FS LSW	445FS XLSW	445FS PR LSW	445FS PR XLSW
Power Type	Pneumatic	Pneumatic	Pneumatic	Pneumatic
Operating Pressure	80-110 psi	80-110 psi	80-110 psi	80-110 psi
Air Fitting	$\frac{1}{4}$ " NPT	$\frac{1}{4}$ " NPT	$\frac{1}{4}$ " NPT	$\frac{1}{4}$ " NPT
Weight	10.6 lbs	11.4 lbs	12.8 lbs	13.6 lbs
Height	19"	22.5"	19"	22.5"
Length	18"	18"	18"	18"
Width	3"	3"	6.25"	6.25"
Main Body Material	Aluminum	Aluminum	Aluminum	Aluminum
Warranty	10 years on body, 1 year parts	10 years on body, 1 year parts	10 years on body, 1 year parts	10 years on body, 1 year parts
FASTENER SPECS				
Gauge	15.5	15.5	15.5	15.5
Style	$\frac{1}{2}$ " Crown Staple	$\frac{1}{2}$ " Crown Staple	$\frac{1}{2}$ " Crown Staple	$\frac{1}{2}$ " Crown Staple
Length	1 $\frac{1}{2}$ "-2"	1 $\frac{1}{2}$ "-2"	1 $\frac{1}{2}$ "-2"	1 $\frac{1}{2}$ "-2"
Capacity	100	100	100	100
Collation	Straight Glued	Straight Glued	Straight Glued	Straight Glued
FLOORING MATERIAL				
Hardwood	Yes	Yes	Yes	Yes
Engineered	No	No	No	No
Board Thickness	$\frac{3}{8}$ ", $\frac{3}{4}$ "	$\frac{3}{8}$ ", $\frac{3}{4}$ "	$\frac{3}{8}$ ", $\frac{3}{4}$ "	$\frac{3}{8}$ ", $\frac{3}{4}$ "

**1845F****18-GAUGE PNEUMATIC TRIGGER PULL FLOORING STAPLER****18  
GA**


ITEM # 1845FKIT

**Features:**

- Compact design for installation close to walls and in tight spaces
- Adjustable FLEX Foot for quick easy adjustment (no tools required)
- Unique nose fits today's wide variety of profiles
- Double length channel

**18  
GA****18-GAUGE 1/4" CROWN STAPLES**

3/8" - 5/8" HARDWOOD & ENGINEERED FLOORS					
Length	Style	Material	Collation	Quantities (5M, Case)	Item Nos.
1 1/2"	1/4" Crown Staple	1021 CRS	Straight Glued	5000ct, 30000ct	PS18150, PS18150-6PK
1 1/4"	1/4" Crown Staple	1021 CRS	Straight Glued	5000ct, 30000ct	PS18125, PS18125-6PK
1 1/8"	1/4" Crown Staple	1010 CRS	Straight Glued	5000ct, 30000ct	PS18112, PS18112-6PK
1"	1/4" Crown Staple	1010 CRS	Straight Glued	5000ct, 50000ct	PS18100, PS18100-10PK
3/8"	1/4" Crown Staple	1010 CRS	Straight Glued	5000ct, 50000ct	PS18087, PS18087-10PK

**PRODUCT REFERENCE CHART**

TOOL SPECS		1845F
Power Type		Pneumatic
Operating Pressure		70-120 psi
Air Fitting		1/4" NPT
Weight		3.5 lbs
Height		8"
Length		14"
Width		3.5"
Main Body Material		Aluminum
Warranty		1 year
FASTENER SPECS		
Gauge		18
Style		1/4" Crown Staple
Length		3/8"-1 1/2"
Capacity		200
Collation		Straight Glued
Hardwood		No
Engineered		Yes
Board Thickness		3/8" - 5/8"




## LARGE CARRYING CASE

ITEM # 06-99205

### Features:

- Securely fits your Model 445LS, 445LL, 200, or 50P nailer and mallet.
- Tough, durable plastic
- Extra compartments for cleats, pads, oil, etc.



## TAP BLOCK (LARGE)

ITEM # 06-TAPBLOCK

### Features:

- Block measures 8.25" x 2.25" x 2.25"
- Perfect for installing Uniclic or Interlocking style floor boards
- Made of non-marring UHMW Plastic



## TAP BLOCK (X-LARGE)

ITEM # 06-TAPBLOCKXL

### Features:

- Block measures 12" x 2.25" x 2.25"
- Perfect for installing Uniclic or Interlocking style floor boards
- Made of non-marring UHMW Plastic



### 3MI WHITE MALLET

ITEM # 06-3MIW



#### Features:

- For use with pneumatic nailers and staplers (Models 445 Series, 50P Series, 200, 445FS Series)
- Non-Marring White rubber cap
- Iron wedge for better plank placement and adjusting boards
- Made of American Hickory and drilled for a better grip

### 3MI BLACK MALLET

ITEM # 06-3MIB



#### Features:

- For use with pneumatic nailers and staplers (Models 445 Series, 50P Series, 200, 445FS Series)
- Iron wedge for better plank placement and adjusting boards
- Made of American Hickory and drilled for a better grip

### 5MI WHITE MALLET

ITEM # 06-5MIW



#### Features:

- Heavier weight for manual nailers (Models 45, 45R, 101, 101R)
- Non-Marring White rubber cap
- Iron wedge for better plank placement and adjusting boards
- Made of American Hickory and drilled for a better grip

### 5MI BLACK MALLET

ITEM # 06-5MIB



#### Features:

- Heavier weight for manual nailers (Models 45, 45R, 101, 101R)
- Iron wedge for better plank placement and adjusting boards
- Made of American Hickory and drilled for a better grip

### #3 D/C WHITE MALLET

ITEM # 06-3MIWW



#### Features:

- Ideal for all Powernail mallet actuated pneumatic nailers and staplers (Models 445 Series, 50P Series, 200, 445FS Series)
- Non-Marring White rubber caps
- Minimizes accidental marking to floors and walls
- Made of American Hickory and drilled for a better grip

### #3 D/C BLACK MALLET

ITEM # 06-3MIBB



#### Features:

- Ideal for all Powernail mallet actuated pneumatic nailers and staplers (Models 445 Series, 50P Series, 200, 445FS Series)
- Minimizes accidental marking to floors and walls
- Made of American Hickory and drilled for a better grip

### 5MI D/C WHITE MALLET

ITEM # 06-5MIWW



#### Features:

- For use with manual nailers (Models 45, 45R, 101, 101R)
- Non-Marring White rubber caps
- Minimizes accidental marking to floors and walls
- Made of American Hickory and drilled for a better grip

### 5MI D/C BLACK MALLET

ITEM # 06-5MIBB



#### Features:

- For use with manual nailers (Models 45, 45R, 101, 101R)
- Minimizes accidental marking to floors and walls
- Made of American Hickory and drilled for a better grip

### #5 WHITE MALLET

ITEM # 06-NUM5W



#### Features:

- For use with Models 35U, 50C Series, 50P Series, 50M Series nailers
- Non-Marring White rubber cap
- Made of American Hickory and drilled for a better grip

### #5 BLACK MALLET

ITEM # 06-NUM5B



#### Features:

- For use with Models 35U, 50C Series, 50P Series, 50M Series nailers
- Made of American Hickory and drilled for a better grip

### WEDGE HEAD MALLET

ITEM # 06-WEDGEHW



#### Features:

- For use with Models 200 and 445 Series nailers
- WedgeHead™ cap that provides sufficient head angle and increased edge clearance for racking flooring strips
- Non-Marring White rubber caps
- Made of American Hickory and drilled for a better grip

### 2AL ALUMINUM MALLET

ITEM # 06-2ALW



#### Features:

- For use with pneumatic nailers and staplers (Models 445 Series, 50P Series, 200, 445FS Series)
- Non-Marring White rubber cap
- Ultra-Light, weighs only 1.7 lbs.
- Made of American Hickory and drilled for a better grip



## POWERJACK 500

RATCHETING WOOD FLOOR POSITIONER

ITEM # PJ500

### Features:

- Can both push or pull floor boards into position
- Eliminates gaps and straightens boards during installation
- Requires minimal effort to apply maximum force
- Self-adjusting lip fits  $\frac{5}{16}$ " to  $\frac{3}{4}$ " flooring
- Safe for use on finished floors



## POWERJACK 100

RATCHETING WOOD FLOOR POSITIONER

ITEM # PJ100

### Features:

- Hooks onto floor boards and pushes off wall to eliminate gaps and straighten boards
- Requires minimal effort to apply maximum force
- Safe for use on finished floors




### PRODUCT REFERENCE CHART


TOOL SPECS	PJ500	PJ100
Clamping Strength	2000 lbs	2000 lbs
Span	11"	11"
Weight	7.4 lbs	6.5 lbs
Height	4.5"	4"
Length	14.75"	14.75"
Width	4.5"	4.5"
Main Body Material	Steel	Steel
Warranty	1 year	1 year
FLOORING MATERIAL		
Hardwood	Yes	Yes
Engineered	Yes	Yes
Board Thickness	$\frac{5}{16}$ " - $\frac{3}{4}$ "	$\frac{5}{16}$ " - $\frac{3}{4}$ "



Tighten boards close to walls.



Use under a toe-kick to tighten and hold boards in place.



The Powerjack 500 can be screwed into the subfloor to tighten boards midfloor.

**54E**20-GAUGE ELECTRIC TRIGGER PULL  
CARPET STAPLER**20  
GA**

ITEM # PTACK54E

**Features:**

- Compact design for stair upholstery
- Easy bottom loading magazine
- 12 foot heavy duty cord
- UL approved

**54P**20-GAUGE PNEUMATIC TRIGGER PULL  
CARPET STAPLER**20  
GA**

ITEM # PTACK54P

**Features:**

- More compact and light-weight than an electric carpet tacker
- Easily fits between spindles and balusters
- Tack closer to walls than ever before
- Bottom loading magazine

**HT-BL11**20-GAUGE  $\frac{13}{32}$ " CROWN  
 $\frac{3}{16}$ " HAMMER TACKER**20  
GA**

ITEM # HTBL11

**Features:**

- Fast Bottom-loading
- Protects work surface
- Low staple refill window
- Quick release button

**HT-550**20-GAUGE  $\frac{1}{2}$ " CROWN  
 $\frac{5}{16}$ " HAMMER TACKER**20  
GA**

ITEM # HT550

**Features:**

- Heavy duty, durable
- Quick-clear Jam Release
- Fast bottom-loading
- Ergonomic grip

**HT-750**19-GAUGE  $\frac{15}{32}$ " CROWN  
 $\frac{3}{8}$ " HAMMER TACKER**19  
GA**

ITEM # HT750

**Features:**

- Heavy duty, durable
- Quick-clear Jam Release
- Fast bottom-loading
- Ergonomic grip

**PRODUCT REFERENCE CHART**

TOOL SPECS	54E	54P	HT-BL11	HT-550	HT-750
Power Type	Electric	Pneumatic	Manual	Manual	Manual
Operating Pressure	N/A	70-120 psi	N/A	N/A	N/A
Air Fitting	N/A	$\frac{1}{4}$ " ( $\frac{3}{8}$ " NPT)	N/A	N/A	N/A
Weight	4.5 lbs	2.12 lbs	2 lbs	2.2 lbs	2.2 lbs
Height	2.75"	5.5"	2.5"	3.5"	3.5"
Length	9"	8.7"	12"	12"	12"
Width	7.5"	1.75"	1.5"	1.5"	1.5"
Main Body Material	Aluminum	Aluminum	Steel	Steel	Steel
Warranty	1 year	1 year	100 Day	100 Day	100 Day
FASTENER SPECS					
Gauge	20	20	20	20	19
Style	$\frac{3}{16}$ " Crown Staple	$\frac{3}{16}$ " Crown Staple	$\frac{13}{32}$ " Crown Staple	$\frac{1}{2}$ " Crown Staple	$\frac{15}{32}$ " Crown Staple
Length	$\frac{1}{4}$ " - $\frac{3}{16}$ "	$\frac{3}{16}$ "	$\frac{3}{8}$ "	$\frac{1}{16}$ "	$\frac{3}{8}$ "
Capacity	85	85	85	85	85
Collation	Straight Glued	Straight Glued	Straight Glued	Straight Glued	Straight Glued
Series	5400 PowerStaples	5400 PowerStaples	A11 PowerStaples	5000 PowerStaples	7500 PowerStaples



## 1890U

18-GAUGE PNEUMATIC TRIGGER PULL  
UNDERLAYMENT STAPLER

ITEM # 1890U

### Features:

- Offers bump-fire and single fire operation
- Non-marring nose piece to protect the workpiece
- 360° adjustable exhaust
- Quick jam release and a double length magazine for fewer reloads



18  
GA

## BR50

18-GAUGE PNEUMATIC TRIGGER PULL  
BRAD NAILER

ITEM # BR50

### Features:

- 360° adjustable exhaust
- Anodized aluminum magazine
- Light weight and balanced
- Quick release nose with no-mar nose tip



18  
GA

### PRODUCT REFERENCE CHART

TOOL SPECS	1890U	BR50
Power Type	Pneumatic	Pneumatic
Operating Pressure	70-100 psi	70-100 psi
Air Inlet	¼" (⅜" NPT)	¼" (⅜" NPT)
Weight	2.9 lbs	2.8 lbs
Height	9.75"	9.5"
Length	14"	9.5"
Width	2.5"	2.5"
Main Body Material	Aluminum	Aluminum
Warranty	1 year	1 year
FASTENER SPECS		
Gauge	18	18
Style	¼" Crown Staple	Brad Nail
Length	⅝" - 1½"	1¼"-2"
Capacity	200+	100+
Collation	Straight Glued	Straight Glued



# FASTENERS


In 1947, Powernail developed the world's very first flooring cleat nail. That fastener soon became the industry's No. 1 solution for installing hardwood floors. Since then we have continued to innovate and grow our assortment of fasteners and fastening solutions. From cleat nails to narrow-crown staples, Powernail has what you need to get the job done right.



## 16 GA 16-GAUGE L-CLEATS

**3/8" - 1/2" HARDWOOD & ENGINEERED FLOORS**

Length	Style	Material	Collation	Quantities (1M, 5M, PowerPak)	Item Nos.
2"	L-Head Cleat	1010 CRS Steel	Straight Taped Strip	1000ct, 5000ct, 15000ct	L20016, L20016S, L20016PP
1 3/4"	L-Head Cleat	1010 CRS Steel	Straight Taped Strip	1000ct, 5000ct, 15000ct	L17516, L17516S, L17516PP
1 1/2"	L-Head Cleat	1010 CRS Steel	Straight Taped Strip	1000ct, 5000ct, 15000ct	L15016, L15016S, L15016PP
2"	L-Head Cleat	304 Stainless Steel	Straight Taped Strip	1000ct	LSS20016
1 1/2"	L-Head Cleat	304 Stainless Steel	Straight Taped Strip	1000ct	LSS15016



## 18 GA 18-GAUGE L-CLEATS

featuring **HD HEAD**  
CLEAT TECHNOLOGY

**3/8" - 3/4" HARDWOOD & ENGINEERED FLOORS**

Length	Style	Material	Collation	Quantities (1M, 5M, PowerPak)	Item Nos.
1 3/4"	L-Head Cleat	1010 CRS Steel	Straight Taped Strip	1000ct, 5000ct, 15000ct	L17518, L17518S, L17518PP
1 1/2"	L-Head Cleat	1010 CRS Steel	Straight Taped Strip	1000ct, 5000ct, 15000ct	L15018, L15018S, L15018PP
1 1/4"	L-Head Cleat	1010 CRS Steel	Straight Taped Strip	1000ct, 5000ct, 15000ct	L12518, L12518S, L12518PP



## 20 GA 20-GAUGE L-CLEATS

featuring **HD HEAD**  
CLEAT TECHNOLOGY

**5/16" - 1/2" HARDWOOD & ENGINEERED FLOORS**

Length	Style	Material	Collation	Quantities (1M, 5M)	Item Nos.
1 3/4"	L-Head Cleat	1010 CRS Steel	Straight Taped Strip	1000ct, 5000ct	L12520, L12520S
1"	L-Head Cleat	1010 CRS Steel	Straight Taped Strip	1000ct, 5000ct	L10020, L10020S



## 20 GA 20-GAUGE E-CLEATS

**5/16" - 5/8" HARDWOOD & ENGINEERED FLOORS**

Length	Style	Material	Collation	Quantities (2M, PowerPak)	Item Nos.
1 1/2"	Blunt Diamond	1010 CRS Steel	Straight Taped Strip	2000ct, 15000ct	E15020, E15020PP
1 1/4"	Blunt Diamond	1010 CRS Steel	Straight Taped Strip	2000ct, 15000ct	E12520, E12520PP
1"	Blunt Diamond	1010 CRS Steel	Straight Taped Strip	2000ct, 15000ct	E10020, E10020PP




Pownail is proud to stamp every box of cleats that leaves our Lake Zurich, IL factory with "Made in the USA." For over 70 years our cleats have been the industry standard for quality and reliability. Our commitment goes beyond making great products. We know that you rely on quality tools and fasteners to get the job done. We are committed to you!








Contact us at (800) 323-1653 Visit us at [www.pownail.com](http://www.pownail.com)

**15.5  
GA****15.5-GAUGE STAPLES****5/8", 3/4" HARDWOOD & ENGINEERED FLOORS**

Length	Style	Material	Collation	Quantities	Item Nos.
2"	1/2" Crown Staple	1010 CRS	Straight Glued	5M (5000ct), 7700ct	PS2005, PS20077
1 3/4"	1/2" Crown Staple	1010 CRS	Straight Glued	5M (5000ct)	PS1755
1 1/2"	1/2" Crown Staple	1010 CRS	Straight Glued	5M (5000ct)	PS1505

**18  
GA****18-GAUGE 1/4" CROWN STAPLES****3/8" - 5/8" HARDWOOD & ENGINEERED FLOORS**

Length	Style	Material	Collation	Quantities (5M, Case)	Item Nos.
1 1/2"	1/4" Crown Staple	1021 CRS	Straight Glued	5000ct, 30000ct	PS18150, PS18150-6PK
1 1/4"	1/4" Crown Staple	1021 CRS	Straight Glued	5000ct, 30000ct	PS18125, PS18125-6PK
1 1/8"	1/4" Crown Staple	1010 CRS	Straight Glued	5000ct, 30000ct	PS18112, PS18112-6PK
1"	1/4" Crown Staple	1010 CRS	Straight Glued	5000ct, 50000ct	PS18100, PS18100-10PK
3/8"	1/4" Crown Staple	1010 CRS	Straight Glued	5000ct, 50000ct	PS18087, PS18087-10PK

**POWERCLEATS® & POWERSTAPLES™ Depth Chart****2" PowerCleats (16 Gauge) or 2" PowerStaples (15.5 Gauge)****1-3/4" PowerCleats (16 or 18 Gauge) or 1-3/4" PowerStaples (15.5 Gauge)****1-1/2" PowerCleats (16 or 18 Gauge) or 1-1/2" PowerStaples (15.5 or 18 Gauge)****1-1/4" PowerCleats (20 Gauge) or 1-1/4" PowerStaples (18 or 20 Gauge)**


This chart demonstrates approximate depth of fasteners. Actual depths may vary based upon tongue profile / milling of the wood. It is recommended to consult with the wood manufacturer on suggested fastener lengths before installation.



## 20 GA 20-GAUGE 1<sup>3</sup>/<sub>32</sub>" CROWN STAPLES

CARPET, INSULATION, PLASTIC SHEATHING, ROOFING, CARPENTRY


Length	Style	Material	Collation	Quantities (5M, Case)	Item Nos.
3/8"	Chisel	1010 CRS	Straight Glued	5000ct, 100000ct	PSA1110C, PSA1110C-20PK
3/8"	Divergent	1010 CRS	Straight Glued	5000ct, 100000ct	PSA1110D, PSA1110D-20PK



## 20 GA 20-GAUGE 1/2" CROWN STAPLES

CARPET, INSULATION, PLASTIC SHEATHING, ROOFING, CARPENTRY

Length	Style	Material	Collation	Quantities (5M, Case)	Item Nos.
3/8"	Chisel	1010 CRS	Straight Glued	5000ct, 100000ct	PS5012C, PS5012C-20PK
5/16"	Chisel	1010 CRS	Straight Glued	5000ct, 100000ct	PS5010C, PS5010C-20PK
5/16"	Divergent	1010 CRS	Straight Glued	5000ct, 100000ct	PS5010D, PS5010D-20PK



## 19 GA 19-GAUGE 1<sup>5</sup>/<sub>32</sub>" CROWN STAPLES

CARPET, INSULATION, PLASTIC SHEATHING, ROOFING, CARPENTRY

Length	Style	Material	Collation	Quantities (5M, Case)	Item Nos.
3/8"	Divergent	1010 CRS	Straight Glued	5000ct, 100000ct	PS7512D, PS7512D-20PK



## 20 GA 20-GAUGE 3/16" CROWN STAPLES

CARPET, INSULATION, PLASTIC SHEATHING, ROOFING, CARPENTRY

Length	Style	Material	Collation	Quantities (5M, Case)	Item Nos.
9/16"	Chisel	1010 CRS	Straight Glued	5000ct, 100000ct	PS5418C, PS5418C-20PK
9/16"	Divergent	1010 CRS	Straight Glued	5000ct, 100000ct	PS5418D, PS5418D-20PK



Powernail's 5418 Series color coating blends & matches today's modern carpet colors better than the competition.



**POWERNAIL** PS5418D



Competitor equivalent